

Byggvarudeklaration - Kvillsfors Inåtgående Sidohängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 1 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

1. Company information

NorDan AB

Grebbestadsvägen 8
457 91 Tanumshede - Sweden
Organization number: 556294-4529

Contact person: Jonas Jonsson
Email: jonas.jonsson@nordan.se
Telephone number: +46 (0) 10-130 01 68
ISO certifications: ISO 9001
ISO 14001

2. Product data

Trade name: NorDan Kvillsfors Side hinged inward opening window - ES Declared size: 1230x1480 mm
Product classification: BK04 Product Group ID: 04105
Description of goods: NorDan Kvillsfors Side hinged inward opening window - ES in size 1230x1480 mm tripple glazed 4E+16G+4+16G+E4 with aluminium cladding is covered in this BPD Declaration of Performance: DoP-NDAB-NDKF-001v3-SE
Estimated technical lifetime: 60 years

URL* to public product documentation: https://portal.nordan.no/ndocs/search?category=document_EPD

Product Code: ES

* link to NorDan's public document system, NDocs

3. Chemical content

Product weight: 71,52 kg Date for the declaration: 2024-01-24
Material content is declared to: 100% The content is checked against the candidate list, edition: 2024-01-23

Does the product contain nanomaterials? No nanomaterials have been deliberately added to achieve a particular function
For composite articles, the declaration has been made at component level and the starting point is that the reported substances are given at the highest specified content.

The product consists of the following parts/components and its specified chemical composition upon delivery.

Material or chemical product	Weight-% of the component in the product	Weight-% of the component	Substance name / Chemical specification	CAS-number	Weight-% of the substance in the product	Weight-% of the substance in the component	Hazard Code(s)	Candidate List (SVHC)	Annex XIV and XVII to REACH	Endocrine disrupting, List I, II, III	Chemsec SIN-list	Svenska PRIO-listan	Den norske prioritetslista
Total	100,00%												
1. Frame	19,49%												
2. Sash	9,24%												
3. IGU - Insulated glass unit	60,18%												
4. Aluminium	8,11%												
5. Plastic parts	0,04%												
6. Seals, rubber & TPU parts	1,04%												
7. Metal parts	1,90%												
1. Frame	19,49%	100,0%											
Wood material frame	18,91%	97,02%											
Frame top	18,9%	97,02%	Untreated pine, finger jointed		18,908%	97,021%							
Wood treatment & Coating	0,36%	1,83%											
Top coat	0,356%	1,83%	2-butoxiethanol	111-76-2	0,0107%	0,0548%	H302 H332 H315 H319						
Note: Water borne, acrylate binder			2,4,7,9-tetramethyldec-5-yne-4,7-diol	126-86-3	0,0036%	0,0183%	H318 H317 H412						
			Adipohydrazid	1071-93-8	0,0036%	0,0183%	H302, H331, H318, H317, H372, H400, H410						
			1,2-benzisotiazol-3(2H)-on	2634-33-5	0,0002%	0,0009%	H314, H318, H335, H400					✓	

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 4 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Screws														
Screws, galvanized	0,13%	6,86%	Steel zinc galvanized		0,130%	6,860%								
Screws, stainless steel	0,02%	1,15%	Stainless steel	SS304	0,022%	1,155%								

4. Raw materials

Recycled materials in the article	Share of raw material	Share of product	Renewable material	Share
Aluminium	8,00%	0,65%	Wood	26,57%
Glass	28,00%	15,98%		

Grade of certified wood: 70-100%

Certificate

Certification system: FSC

The percentage above refers to the certified percentage of the wood raw material included in the production. Finished product is not sold certified.

Comment:

Country of origin wood raw material

Finland/ Estonia

5. Environmental impact

Is there an Environmental Product Declaration (EPD) produced according to EN15804 or ISO14025 for the product? No

ID number for EPD:

EPD, declared size:

EPD-Name:

GWP Functional unit*				GWP/kg
A1-A3 GWP _{total} (kg CO ₂ e)	A1-A3 GWP _{fossil} (kg CO ₂ e)	A1-A3 GWP _{biogenic} (kg CO ₂ e)	A1-A3 GWP _{lutuc} (kg CO ₂ e)	A1-A3 GWP _(total-biogen) / kg **

* For project-specific values contact NorDan

** GWP value without the influence of biogenic carbon

6. Distribution

Is the producer connected to a producer responsibility scheme for packaging? Yes
What system? FTI system

Packaging is sorted according to below

Cardboard	EWC	150101
Plastic packaging	EWC	150102
Wood packaging	EWC	150103

7 & 8. Construction and use phase

Does the product have special requirements for storage? See window owner's manual
Does the product place special demands on surrounding building materials? See window owner's manual
Does the product require input goods for operation and maintenance? See window owner's manual

9. Demolition

Is the item prepared for dismantling? Yes
Can the product be separated into pure materials for recycling? Yes, see Window Owner's Manual
Does the product require special measures for the protection of health and the environment during demolition/dismantling? No



Glas: 3-glas

Gäller för produktkoder:

ES

10. Waste management

Is reuse possible for all or part of the product? Yes, during the warranty period the product can be reused. After the warranty period, reuse is possible after assessment.

Is recycling possible? Yes

Rate of material recycling: 67,07%

Material	Weight % of whole item	Waste code
Aluminium	8,11%	EWC 170402
Metal	1,90%	EWC 170407
Glass	57,06%	EWC 200102

Is energy recovery possible? Yes

Energy recovery rate: 32,93%

Material	Weight % of whole item	Waste code
Wood with sealant	31,85%	EWC 170201
Plastic/rubber	1,08%	EWC 170203

Waste code when the delivered goods become waste: 17 - Construction and demolition waste

When the delivered goods become waste, is it classified as hazardous waste? No

11. Indoor environment

Emissions to indoor air

12. Building certification systems



Version	Material	Result	Notes
v6.1 v6.0 2016v1.2	Mat01	No	Reference EPD is currently not published.
v6.1 v6.0 2016v1.2	Mat02	Yes	The product contains no substances on the REACH Candidate list or the Norwegian priority list at or above 0,1 % by weight. Control has been made against REACH annexes XIV and XVII.
v6.1 v6.0 2016v1.2	Mat03	Yes	All wood used in the product consists of wood that is legally harvested and meets at least the requirements of the EUTR (EU Timber Regulation)



Version	Material	Result	Notes
v6.0 2017v1.1	Mat01	No	Reference EPD is currently not published.
v6.0 2017v1.1	Mat03	Yes	All wood used in the product consists of wood that is legally harvested and meets at least the requirements of the EUTR (EU Timber Regulation)
v6.0 2017v1.1	Mat07	Yes	The product does not contain phase-out or risk reduction substances (according to KEMI's definition and EDS Cat1/ Cat2) above classification limits.
2013v2.0	Mat08	Yes	Product does not contain phase-out substances (according to KEMI's definition) above classification limits



Version	Material	Result	Notes
3.0 / 3.1 / 3.2	Ind 13	Gold	Public e-bvd or equivalent available
	Ind 14	Gold	Attention MB sets requirements for emissions. Check these manually to ensure compliance!
	Ind 15	No	Reference EPD is currently not published.
2.1 / 2.2	Ind 14	Gold	Public content declaration according to bvd3 is available
	Ind 15	Gold	The product does not contain phase-out substances according to KEMI's definition above classification limits
4.0	Ind 4	No	Reference EPD is currently not published.
	Ind 9	Silver	The product does not contain U, R or endocrine disruptors on Chemsec's SIN list of classification limits
	Ind 15	Gold	Public e-bvd or equivalent available

Nordic Swan Ecolabel buildings

HPP (Husproduktportalen)
Yes - NorDan ES - KT991
SCDP (Supply Chain Declaration Portal)



Glas: 3-glas

Gäller för produktkoder:

ES

13. Product Assessment System



No

ECOproduct isn't available for the product today.



Yes

The product is listed in the database from Byggvarubedömningen. Name: Kvillsfors Inåtgående Sidhängt Fönster - ES



Yes

The product is listed in the database from SundaHus. Name: Kvillsfors Inåtgående Sidhängt Fönster - ES



No

The product is not listed today in the database from Basta

Nordic Swan Ecolabel

No

Swan Ecolabel isn't available for the product today

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 7 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 8 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 9 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 10 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 11 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 12 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 13 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 14 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 15 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 16 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 17 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 18 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 19 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 20 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 21 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 22 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 23 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 24 av 25

Glas: 3-glas

Gäller för produktkoder:

ES

Byggvarudeklaration - Kvillsfors Inåtgående Sidhängt Fönster 3-glas

Marknad:



Dokument ID: 000D6C(1.00)

Datum: 24 Januari 2024

Sida: 25 av 25

Glas: 3-glas

Gäller för produktkoder:

ES