

Byggevaredeklaration - NTech Villa topstyret, TQ

Marked:





Dokument ID: 000E06(1.00)
Dato: 1 Marts 2024
Side: 1 af 25

Materiale: Træ + aluminiumKarm: 105Glas: 3-lags

Gælder for produktkoder:
TQ

1. Company information

NorDan Spolka Z o.o

Powodowo 54

54-200 Wolsztyn - Poland

Organization number: NIP: 9231548435, REGION: 016229807

Contact person: Linda Jonsson

Email: linda.jonsson@nordan.se

Telephone number: +46 (0) 10-130 01 75

ISO certifications: ISO 9001
ISO 14001

2. Product data

Trade name: NorDan NTech Villa Topguided - TQ 105/80

Declared size: 1230x1480 mm

Product classification: BK04

Product Group ID: 04107

Description of goods: NorDan NTech Villa Topguided - TQ 105/80 in size 1230x1480 mm
tripple glazed with aluminium cladding is covered in this BPD

Declaration of Performance: DoP-ND-100-1

Estimated technical lifetime: 60 years

Standard glass unit: 4E+16G+4+16G+E4

URL * to public product documentation: https://portal.nordan.no/ndocs/search?category=document_FPD

Product Code: TQ

* link to NorDan's public document system, NDocs

3. Chemical content

Product weight: 67,31 kg

Date for the declaration: 2024-03-01

Material content is declared to: 100%

The content is checked against the candidate list, edition: 2024-01-23

Does the product contain nanomaterials? No nanomaterials have been deliberately added to achieve a particular function

For composite articles, the declaration has been made at component level and the starting point is that the reported substances are given at the highest specified content.

The product consists of the following parts/components and its specified chemical composition upon delivery.

Material or chemical product	Weight-% of the component in the product	Weight-% of the component	Substance name / Chemical specification	CAS-number	Weight-% of the substance in the product	Weight-% of the substance in the component	Hazard Code(s)	Candidate List (SVHC) Annex XIV and XVII to REACH	Endocrine disrupting, List I, II, III	Chemsec SIN-list	Svenska PRIO-listan	Den norske prioritetslista
Total	100%											
1. Frame	16,83%											
2. Sash	11,08%											
3. IGU - Insulated glass unit	64,13%											
4. Aluminium profiles	5,01%											
5. Plastic parts	0,30%											
6. Seals, rubber & TPU parts	0,72%											
7. Metal parts	1,93%											
1. Frame	16,83%	100,0%										
Wood material frame	16,21%	96,34%										
Frame top	3,64%	21,62%	Untreated pine, finger jointed		3,64%	21,62%						
Frame side	9,07%	53,87%	Untreated pine, finger jointed		9,07%	53,87%						
Frame bottom	3,51%	20,85%	Untreated pine, finger jointed		3,51%	20,85%						
Wood treatment & Coating	0,44%	2,59%										
Wood perservative	0,01%	0,04%	Propiokonazol	60207-90-1	0,000%	0,001%			✓	✓	✓	
Note: Wood preservative to prevent wood rot.												
Primer	0,15%	0,88%	1,2-benzisothiazol-3(2H)-one	2634-33-5	0,000%	0,000%	H302, H315, H318, H317, H400				✓	

Byggevarerdekларation - NTech Villa topstyret, TQ

Marked:





Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 2 af 25

Materiale: Træ + aluminiumKarm: 105Glas: 3-lags

Gælder for produktkoder:
TQ

Note: Waterborne 2-comp. Polyurethane Primer			Reaction mass of 5-chloro-2-methyl-1,2-thiazol-3(2H)-one and 2-methyl-1,2-thiazol-3(2H)-one	55965-84-9	0,000%	0,000%	H301, H310, H330, H314, H318, H317, H400, H410						✓	
Hardner, primer	0,05%	0,30%	Hexamethylene diisocyanate, oligomers	28182-81-2	0,05%	0,27%	H332, H317, H335							
			2-methoxy-1-methylethyl acetate	108-65-6	0,01%	0,06%	H226, H336							
			Hexamethylene diisocyanate	822-06-0	0,000%	0,001%	H331, H315, H319, H334, H317, H335		✓				✓	
Top Coat	0,23%	1,37%	3-iodo-2-propynyl butylcarbamate	55406-53-6	0,001%	0,003%	H302, H331, H318, H317, H372, H400, H410						✓	
Note: Water Based, Acrylic binder.			1,2-benzisothiazol-3(2H)-one	2634-33-5	0,000%	0,001%	H302, H315, H318, H317, H400						✓	
			Reaction mass of 5-chloro-2-methyl-1,2-thiazol-3(2H)-one and 2-methyl-1,2-thiazol-3(2H)-one	55965-84-9	0,000%	0,000%	H301, H310, H330, H314, H318, H317, H400, H410						✓	
Adhesive & Sealant	0,18%	1,07%												
Adhesiv, finger joints, frame	0,16%	0,97%	Polyvinyl acetate emul. waterbased.		0,16%	0,97%								
Note: PVAc dispersion adhesive														
Adhesive, frame	0,02%	0,10%	Propylene carbonate	108-32-7	0,000%	0,002%	H319							
Note: One component PVAc adhesive of D4 quality			Reaction mass of 5-chloro-2-methyl-1,2-thiazol-3(2H)-one and 2-methyl-1,2-thiazol-3(2H)-one	55965-84-9	0,000%	0,000%	H301, H310, H314, H317, H318, H330, H400, H410, H315, H319						✓	
2. Sash	11,08%	100,0%												
Wood material sash	10,49%	94,65%												
Sash top	2,37%	21,42%	Untreated pine, finger jointed		2,37%	21,42%								
Sash side	5,83%	52,64%	Untreated pine, finger jointed		5,83%	52,64%								
Sash bottom	2,28%	20,59%	Untreated pine, finger jointed		2,28%	20,59%								
Wood treatment & Coating	0,42%	3,77%												
Wood preservative	0,00%	0,04%	Propiokonazol	60207-90-1	0,000%	0,001%				✓	✓	✓		
Note: Wood preservative to prevent wood rot.														
Primer	0,14%	1,29%	1,2-benzisothiazol-3(2H)-one	2634-33-5	0,000%	0,001%	H302, H315, H318, H317, H400						✓	
Note: Waterborne 2-comp. Polyurethane Primer			Reaction mass of 5-chloro-2-methyl-1,2-thiazol-3(2H)-one and 2-methyl-1,2-thiazol-3(2H)-one	55965-84-9	0,000%	0,000%	H301, H310, H330, H314, H318, H317, H400, H410						✓	
Hardner, primer	0,05%	0,44%	Hexamethylene diisocyanate, oligomers	28182-81-2	0,04%	0,40%	H332, H317, H335							
			2-methoxy-1-methylethyl acetate	108-65-6	0,01%	0,09%	H226, H336							
			Hexamethylene diisocyanate	822-06-0	0,000%	0,001%	H331, H315, H319, H334, H317, H335		✓				✓	
Top Coat	0,22%	2,00%	3-iodo-2-propynyl butylcarbamate	55406-53-6	0,001%	0,005%	H302, H331, H318, H317, H372, H400, H410						✓	

Note: Water Based, Acrylic binder.			1,2-benzisothiazol-3(2H)-one	2634-33-5	0,000%	0,001%	H302, H315, H318, H317, H400						✓
			Reaction mass of 5-chloro-2-methyl-1,2-thiazol-3(2H)-one and 2-methyl-1,2-thiazol-3(2H)-one	55965-84-9	0,000%	0,000%	H301, H310, H330, H314, H318, H317, H400, H410						✓
Adhesive & Sealant	0,17%	1,58%											
Adhesiv, finger joints, sash	0,11%	0,96%	Polyvinyl acetate emul. waterbased.		0,11%	0,96%							
Note: PVAc dispersion adhesive													
Adhesive, sash	0,02%	0,15%	Propylene carbonate	108-32-7	0,000%	0,004%	H319						
Note: One component PVAc adhesive of D4 quality			Reaction mass of 5-chloro-2-methyl-1,2-thiazol-3(2H)-one and 2-methyl-1,2-thiazol-3(2H)-one	55965-84-9	0,000%	0,000%	H301, H310, H314, H317, H318, H330, H400, H410, H315, H319						✓
Sealant	0,05%	0,47%	Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	0,00%	0,02%	H304				✓	✓	
Note: 1-component sealant, based on SMX polymer			Trimethoxyvinylsilane	2768-02-7	0,001%	0,005%	H226, H332, H317					✓	
			Reaction mass of N,N'-ethane-1,2-diylbis(hexanamide) and 12-hydroxy-N-[2-[(1-oxyhexyl)amino]ethyl]octadecanamide and N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan amide)	EU nr: 432-430-3	0,00%	0,02%	H413					✓	
			N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0,001%	0,005%	H317, H318, H335						
			Dioctylbis(pentane-2,4-dionato-0,0')tin	54068-28-9	0,001%	0,005%	H317, H371						
3. IGU - Insulated glass unit	64,13%	100,0%											
Float glass , coated	40,54%	63,21%	Flat glass , coated	65997-17-3	40,54%	63,21%							
Float glass	20,27%	31,61%	Flat glass uncoated	65997-17-3	20,27%	31,61%							
Spacer	0,85%	1,33%	Stainless steel	EN 1.4372	0,05%	0,07%							
			Polypropylene	9003-07-0	0,80%	1,25%							
Primary seal	0,17%	0,26%	Carbon black	1333-86-4	0,08%	0,13%							
Secondary seal part A	1,33%	2,08%	Polyurethane glass sealant		1,33%	2,08%							
Secondary seal part B	0,15%	0,23%	Di-“isononyt” phtalate	28553-12-0	0,07%	0,12%			✓		✓		
			Polymeric MDI	9016-87-9	0,04%	0,07%	H315, H317, H319, H332, H334, H335, H351						
			4.4'-methylenediphenyl diisocyanate	101-68-8	0,01%	0,01%	H315, H317, H319, H332, H334, H335, H351		✓			✓	
			Carbon black	1333-86-4	0,01%	0,01%							
			Zeolites	1318-02-1	0,01%	0,01%							
			Oxirane,2-[[3-(trimethoxysilyl)propoxy]methyl]	2530-83-8	0,003%	0,005%	H318, H411						
Absorbent	0,73%	1,13%	Zeolites	1318-02-1	0,73%	1,13%							
			Quartz	14808-60-7	0,01%	0,01%							
Argon	0,10%	0,15%	Argon	7440-37-1	0,10%	0,15%							

[illegible]

Byggevarerdekларation - NTech Villa topstyret, TQ



Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 5 af 25

Gælder for produktkoder:
TQ

4. Raw materials

Recycled materials in the article	Share of raw material	Share of product	Renewable material	Share
Aluminium	8,00%	0,40%	Wood	26,70%
Glass	28,00%	17,03%		

Grade of certified wood:	70-100%	Certificate
Certification system:	PEFC	
Comment:	The percentage above refers to the certified percentage of the wood raw material included in the production.	
Country of origin wood raw material	Estonia/ Poland/ Finland	

5. Environmental impact

Is there an Environmental Product Declaration (EPD) produced according to EN15804 or ISO14025 for the product?	Yes	ID number for EPD:	NEPD-5606-4906
EPD, declared size:	1230x1480	EPD-Name:	NorDan NTech Villa Topguided - TQ 105/80 (With Aluminium Cladding)

GWP Functional unit*				GWP/kg
A1-A3 GWP _{total} (kg CO ₂ e)	A1-A3 GWP _{fossil} (kg CO ₂ e)	A1-A3 GWP _{biogenic} (kg CO ₂ e)	A1-A3 GWP _{luluc} (kg CO ₂ e)	A1-A3 GWP _(total-biogenic) / kg **
104,6	138,5	-34,0	0,14	1,95

* For project-specific values contact NorDan
** GWP value without the influence of biogenic carbon

6. Distribution

Is the producer connected to a producer responsibility scheme for packaging?	Yes
What system?	FTI system

Packaging is sorted according to below		
Cardboard	EWG	150101
Plastic packaging	EWG	150102
Wood packaging	EWG	150103

7 & 8. Construction and use phase

Does the product have special requirements for storage?	See window owner's manual
Does the product place special demands on surrounding building materials?	See window owner's manual
Does the product require input goods for operation and maintenance?	See window owner's manual

9. Demolition

Is the item prepared for dismantling?	Yes
Can the product be separated into pure materials for recycling?	Yes, see window owner's manual
Does the product require special measures for the protection of health and the environment during demolition/dismantling?	No



Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:
TQ

10. Waste management

Is reuse possible for all or part of the product? Yes, during the warranty period the product can be reused. After the warranty period, reuse is possible after assessment.

Is recycling possible?		Yes
Rate of material recycling:		67,76%
Material	Weight % of whole item	Waste code
Aluminium	5,01%	EWC 170402
Metal	1,93%	EWC 170407
Glass	60,81%	EWC 200102

Is energy recovery possible?	Yes		
Energy recovery rate	32,24%		
Material	Weight % of whole item	Waste code	
Wood with sealant	27,91%	EWC 170201	
Plastic/rubber	4,34%	EWC 170203	

Waste code when the delivered goods become waste: 17 - Construction and demolition waste

When the delivered goods become waste, is it classified as hazardous waste? No

11. Indoor environment

Danish Indoor Climate Labelling - Certificate no. 174

ND NTech - EMISSION CLASS 1

Emission measured after 28 days:

TVOC ₂₈	0,28 mg/m ³
Formaldehyde ₂₈	<0,005 mg/m ³

12. Building certification systems

	v6.1	Mat01	Yes	The EPD is published at EPD-Norge, see point 5 above. Project-specific EPD data can be obtained from NorDan
	v6.0			
	2016v1.2			
	v6.1	Mat02	Yes	The product contains no substances on the REACH Candidate list or the Norwegian priority list at or above 0,1 % by weight. Control has been made against REACH annexes XIV and XVII.
	v6.0			
	2016v1.2			
	v6.1	Mat03	Yes	All wood used in the product consists of wood that is legally harvested and meets at least the requirements of the EUTR (EU Timber Regulation)
	v6.0			
	2016v1.2			
	v6.0	Mat01	Yes	The EPD is published at EPD-Norge, see point 5 above. Project-specific EPD data can be obtained from NorDan
	2017v1.1			
	v6.0	Mat03	Yes	All wood used in the product consists of wood that is legally harvested and meets at least the requirements of the EUTR (EU Timber Regulation)
	2017v1.1			
	v6.0	Mat07	Yes	The product does not contain phase-out or risk reduction substances (according to KEMI's definition and EDS Cat1/ Cat2) above classification limits.
	2017v1.1			
	2013v2.0	Mat08	Yes	Product does not contain phase-out substances (according to KEMI's definition) above classification limits
	3.0 / 3.1 / 3.2	Ind 13	Gold	Public e-bvd or equivalent available
		Ind 14	Gold	Attention MB sets requirements for emissions. Check these manually to ensure compliance!
		Ind 15	Yes	The EPD is published at EPD-Norge, see point 5 above. Project-specific EPD data can be obtained from NorDan
	2.1 / 2.2	Ind 14	Gold	Public content declaration according to bvd3 is available
		Ind 15	Gold	The product does not contain phase-out substances according to KEMI's definition above classification limits
	4.0	Ind 4	Yes	The EPD is published at EPD-Norge, see point 5 above. Project-specific EPD data can be obtained from NorDan
		Ind 9	Silver	The product does not contain U, R or endocrine disruptors on Chemsec's SIN list above classification limits
		Ind 15	Gold	Public e-bvd or equivalent available

Nordic Swan Ecolabel buildings

HPP (Husproduktsportalen)
-
SCDP (Supply Chain Declaration Portal)
-

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 7 af 25

Gælder for produktkoder:
TQ

13. Product Assessment System



No

ECOproduct isn't available for the product today



No

The product is not listed in the database from Byggvarubedömningen



No

The product is not listed in the database from SundaHus



No

The product is not listed in the database from Basta

Nordic Swan Ecolabel

Yes

Swan Ecolabel is available for the product

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 8 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 9 af 25

Gælder for produktkoder:
TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 10 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 11 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 12 af 25

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 13 af 25

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 14 af 25

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 15 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 16 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 17 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 18 af 25

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:

TQ

Byggevaredeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 19 af 25

Gælder for produktkoder:
TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 20 af 25

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 21 af 25

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:

TQ

Byggevaredeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 22 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 23 af 25

Gælder for produktkoder:
TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 24 af 25

Gælder for produktkoder:

TQ

Byggevarerdeklaration - NTech Villa topstyret, TQ

Marked:



Dokument ID: 000E06(1.00)

Dato: 1 Marts 2024

Side: 25 af 25

Materiale: Træ + aluminium

Karm: 105

Glas: 3-lags

Gælder for produktkoder:

TQ